



Prokraft Kit Bushing and Tube Refs.
Metric Units 2-26-2023

Kits listed in this chart may be available or had been offered in the past by this supplier.

Note: All data was compiled from suppliers published kit, tube and bushing information.

Dimensions are based on Metric Units.
Averaged Bushing Diameter Size was used to determine Category Size:
 Slim = (7.65 - 10.16) mm Dia.
 Medium = (10.19 - 12.70) mm Dia.
 Large = (12.73 - 15.24) mm Dia.
 Extra Large = (15.27 - 17.78) mm Dia.



Kit Style 0 are Misc. Kit Styles

Some Kits May Require Modifying Replacement Tube Lengths.



Typical Mandrel Dia. Sizes
 A - 6.27 mm Dia. B - 7.39 mm Dia.
 Size Determined by Supplier



Kit Supplier	Kit Description	Category & Size	Kit Style	Replacement Tubes	Bushing Set
Prokraft	Atom 2 Click BP (Prokraft)	Medium Single Tube BP Pens	1	AT2 TUBE	AT2MBS
Prokraft	Ayres Click Pencil - Sierra Styled (Prokraft)	Medium Single Tube Pencils	1	SERTUBE	SIÉBSH
Prokraft	Ayres Twist BP - Sierra Styled (Prokraft)	Medium Single Tube BP Pens	1	SERTUBE	SIÉBSH
Prokraft	Byron Screw Cap FP (Prokraft)	Large Sized FP Pens	3	BYPT	BYBSH
Prokraft	Byron Screw Cap RB (Prokraft)	Large Sized RB Pens	3	BYPT	BYBSH
Prokraft	Chaucer Twist BP (Prokraft)	Slim Sized BP Pens	2	T7	SPB3
Prokraft	Director Twist BP (Prokraft)	Medium Sized BP Pens	2	DIR-TU	DIR BSH
Prokraft	Eliot Click BP - Gel (Prokraft)	Medium Sized BP Pens	2	ELIOT TU	ELIOT BSH
Prokraft	Hexa Screw Cap FP (Prokraft)	Medium Sized Single FP Tube Pens	3	HEXATU	HEXABSH
Prokraft	Hexa Screw Cap RB (Prokraft)	Medium Sized Single Tube RB Pens	3	HEXATU	HEXABSH
Prokraft	Ion Twist BP (Prokraft)	Medium Sized Single Tube BP Pens	1	AT2 TUBE	AT2 MBS
Prokraft	Keats Slim Twist BP (Prokraft)	Slim Sized BP Pens	2	KEAT-TU	KEATBSH
Prokraft	Keyring Screw Cap BP (code AKK) - Premium (Prokraft)	Medium Sized Single Tube BP Pens	3	AKK TU	AKK BSH




Prokraft Kit Bushing and Tube Refs.

Metric Units 2-26-2023


Kits listed in this chart may be available or had been offered in the past by this supplier.

Note: All data was compiled from suppliers published kit, tube and bushing information.


Upper - A Drill



Tolerances for All Metric Measurements:
 1 Place Dims +/- .3 & 2 Place Dims +/- .13



Use this Chart with Discretion. Manufacturers Change dimensions of parts on Occasion. It Should Only be Used as a Reference Guide.



Kit Supplier	Kit Description	Upper / Cap Tube			Upper / Cap Bushings			Lower / Body Tube			Lower / Body Bushings		
		A Drill Dia.	B Dia.	C Length	D Dia.	E Dia.	F Dia.	G Drill Dia.	H Dia.	I Length	J Dia.	K Dia.	L Dia.
Prokraft	Atom 2 Click BP (Prokraft)	8.7mm	8.44 mm	100.0 mm	10.30 mm	8.00 mm	10.30 mm	x	x	x	x	x	x
Prokraft	Ayres Click Pencil - Sierra Styled (Prokraft)	10.7mm	10.45 mm	56.0 mm	12.00 mm	9.86 mm	12.00 mm	x	x	x	x	x	x
Prokraft	Ayres Twist BP - Sierra Styled (Prokraft)	10.7mm	10.45 mm	56.0 mm	12.00 mm	9.86 mm	12.00 mm	x	x	x	x	x	x
Prokraft	Byron Screw Cap FP (Prokraft)	11.9mm	11.42 mm	46.3 mm	13.46 mm	10.95 mm	13.46 mm	10mm	9.76 mm	59.0 mm	13.46 mm	9.2mm	11.46 mm
Prokraft	Byron Screw Cap RB (Prokraft)	11.9mm	11.42 mm	46.3 mm	13.46 mm	10.95 mm	13.46 mm	10mm	9.76 mm	59.0 mm	13.46 mm	9.2mm	11.46 mm
Prokraft	Chaucer Twist BP (Prokraft)	7mm	6.80 mm	51.6 mm	8.40 mm	x	8.40 mm	7mm	6.80 mm	51.6 mm	8.40 mm	x	8.40 mm
Prokraft	Director Twist BP (Prokraft)	9.5mm	9.25 mm	46.0 mm	12.00 mm	8.74 mm	12.00 mm	9.5mm	9.25 mm	61.1 mm	12.00 mm	8.74 mm	11.00 mm
Prokraft	Eliot Click BP - Gel (Prokraft)	8mm	7.82 mm	49.0 mm	10.30 mm	7.36 mm	10.30 mm	8mm	7.82 mm	49.0 mm	10.30 mm	7.36 mm	10.30 mm
Prokraft	Hexa Screw Cap FP (Prokraft)	Metal Cap	x	x	x	x	x	10mm	9.76 mm	79.0 mm	12.19 mm	9.2mm	12.19 mm
Prokraft	Hexa Screw Cap RB (Prokraft)	Metal Cap	x	x	x	x	x	10mm	9.76 mm	79.0 mm	12.19 mm	9.2mm	12.19 mm
Prokraft	Ion Twist BP (Prokraft)	8.7mm	8.44 mm	100.0 mm	10.30 mm	8.00 mm	10.30 mm	x	x	x	x	x	x
Prokraft	Keats Slim Twist BP (Prokraft)	8mm	7.82 mm	49.1 mm	9.90 mm	7.36 mm	9.90 mm	8mm	7.82 mm	59.0 mm	9.90 mm	7.36 mm	9.40 mm
Prokraft	Keyring Screw Cap BP (code AKK) - Premium (Prokraft)	Metal Cap	x	x	x	x	x	8mm	7.82 mm	47.5 mm	11.5 mm	7.36 mm	8.73 mm



Prokraft Kit Bushing and Tube Refs.
Metric Units 2-26-2023

Kits listed in this chart may be available or had been offered in the past by this supplier.

Note: All data was compiled from suppliers published kit, tube and bushing information.

Dimensions are based on Metric Units.
Averaged Bushing Diameter Size was used to determine Category Size:
 Slim = (7.65 - 10.16) mm Dia.
 Medium = (10.19 - 12.70) mm Dia.
 Large = (12.73 - 15.24) mm Dia.
 Extra Large = (15.27 - 17.78) mm Dia.



Kit Style 0 are Misc. Kit Styles

Some Kits May Require Modifying Replacement Tube Lengths.



Typical Mandrel Dia. Sizes
 A - 6.27 mm Dia. B - 7.39 mm Dia.
 Size Determined by Supplier



Kit Supplier	Kit Description	Category & Size	Kit Style	Replacement Tubes	Bushing Set
Prokraft	Letter Opener - LET2 (Prokraft)	Slim Sized Single Tube Letter Openers	0	APT	BUSH LO
Prokraft	Letter Opener - LET3 Premium (Prokraft)	Ornate Slim Sized Single Tube Letter Openers	0	APT	BUSH LO
Prokraft	Letter Opener - LET4 4 Ring (Prokraft)	Medium Sized Single Tube Letter Openers	0	LET4 TU	L4BSH
Prokraft	Magnifier - AMC (Prokraft)	Medium Sized Single Tube Specialty Items	0	LET4 TU	L4BSH
Prokraft	Magnifier - Premium (Prokraft)	Medium Sized Single Tube Specialty Items	0	X	x
Prokraft	Nibster Screw Cap FP (Prokraft)	Medium Sized Single Tube Pens	3	ROLL TUBE	ROLLBSH
Prokraft	Rollester Screw Cap RB (Prokraft)	Medium Sized Single Tube Pens	3	ROLL TUBE	ROLLBSH
Prokraft	Rosetti Twist BP (Prokraft)	Ornate Medium Sized Single Tube Pens	2	ROSTU	L4BSH
Prokraft	Saturn Bolt Action BP (Prokraft)	Medium Sized Single Tube Pens	1	SATRNTU	SATBSH
Prokraft	Serea Click BP - Sierra Styled (Prokraft)	Medium Sized Single Tube Pens	1	SERTUBE	SIÉBSH
Prokraft	Serea Twist BP - Sierra Styled (Prokraft)	Medium Sized Single Tube Pens	1	SERTUBE	SIÉBSH

Averaged Bushing Diameter Size was used to determine Category Sizing:

Slim = (7.65 - 10.16) mm Dia. Medium = (10.19 - 12.70) mm Dia. Large = (12.73 - 15.24) mm Dia. Extra Large = (15.27 - 17.78) mm Dia.



Prokraft Kit Bushing and Tube Refs.


Metric Units 2-26-2023

Kits listed in this chart may be available or had been offered in the past by this supplier.


Note: All data was compiled from suppliers published kit, tube and bushing information.

Tolerances for All Metric Measurements:
1 Place Dims +/- .3 & 2 Place Dims +/- .13



Upper - A Drill



Upper / Cap Bushings



Use this Chart with Discretion. Manufacturers Change dimensions of parts on Occasion. It Should Only be Used as a Reference Guide.



Kit Supplier	Kit Description	Upper / Cap Tube			Upper / Cap Bushings			Lower / Body Tube			Lower / Body Bushings		
		A Drill Dia.	B Dia.	C Length	D Dia.	E Dia.	F Dia.	G Drill Dia.	H Dia.	I Length	J Dia.	K Dia.	L Dia.
Prokraft	Letter Opener - LET2 (Prokraft)	7mm	6.80 mm	53mm	8.4mm	x	8.4mm	Opener Blade	x	x	x	x	x
Prokraft	Letter Opener - LET3 Premium (Prokraft)	7mm	6.80 mm	53mm	8.4mm	x	8.4mm	Opener Blade	x	x	x	x	x
Prokraft	Letter Opener - LET4 4 Ring (Prokraft)	9.7mm	9.47 mm	56mm	12.18 mm	8.95 mm	12.18 mm	Opener Blade	x	x	x	x	x
Prokraft	Magnifier - AMC (Prokraft)	9.7mm	9.47 mm	56mm	12.18 mm	8.95 mm	12.18 mm	Magnifying Glass	x	x	x	x	x
Prokraft	Magnifier - Premium (Prokraft)	Tenon Sizing	11.70 mm	9mm Deep	x	x	x	Magnifying Glass	x	x	x	x	x
Prokraft	Nibster Screw Cap FP (Prokraft)	9.5mm	9.25 mm	83.0 mm	11.00 mm	8.74 mm	11.50 mm	Metal Cap	x	x	x	x	x
Prokraft	Rollester Screw Cap RB (Prokraft)	9.5mm	9.25 mm	83.0 mm	11.00 mm	8.74 mm	11.50 mm	Metal Cap	x	x	x	x	x
Prokraft	Rosetti Twist BP (Prokraft)	9.7mm	9.47 mm	82.5 mm	12.18 mm	8.95 mm	12.18 mm	x	x	x	x	x	x
Prokraft	Saturn Bolt Action BP (Prokraft)	9.5mm	9.25 mm	43.5 mm	12.00 mm	8.74 mm	12.00 mm	x	x	x	x	x	x
Prokraft	Serea Click BP - Sierra Styled (Prokraft)	10.7mm	10.45 mm	56.0 mm	12.00 mm	9.86 mm	12.00 mm	x	x	x	x	x	x
Prokraft	Serea Twist BP - Sierra Styled (Prokraft)	10.7mm	10.45 mm	56.0 mm	12.00 mm	9.86 mm	12.00 mm	x	x	x	x	x	x

Averaged Bushing Diameter Size was used to determine Category Sizing:

Slim = (7.65 - 10.16) mm Dia. Medium = (10.19 - 12.70) mm Dia. Large = (12.73 - 15.24) mm Dia. Extra Large = (15.27 - 17.78) mm Dia.